



Appendix B

Response Form for Consultation

Please send this Response Form to us on or before 15 January 2024 by one of the following channels:

Mail : Energy Efficiency Office
Electrical and Mechanical Services Department
3 Kai Shing Street
Kowloon

E-mail : beeo-consultation@emsd.gov.hk

Facsimile : (+852) 2890 6081

This is a

- corporate response (representing the views of a group or an organization).
- individual response (representing the views of an individual).

Name and Organization (if applicable):

(optional)

Collection of Views

Question 1

Do you agree to include building or part of the building that is occupied principally as data centre under the regulatory scope of energy efficiency standard for building services installations? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Question 2

Do you agree to require more types of buildings to conduct energy audit? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Question 3

Do you agree to shorten the interval of energy audit from 10 years to 5 years? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Question 4

Do you agree to mandate disclosure of the technical information in energy audit report? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Question 5

Do you agree to include professional engineer of energy discipline as one of the assessment criteria for the application for registration as Registered Energy Assessor, and include corporate member of the Hong Kong Institution of Engineers in the energy discipline as the compositions of Disciplinary Board Panel and Appeal Board Panel? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Question 6

Do you agree to introduce a transitional period of 12 months after the amendments to the Ordinance? If disagree, why?

- Agree
- Disagree, please specify the reason:

Comment:

Other Views and Comments

Please provide other views and comments below: