



Our reference 本署檔號 :

(67) in EMSD/LESD 7-2/4

Your reference 來函檔號 :

Telephone 電話傳呼號碼 : (852) 2808 3861

Facsimile 圖文傳真 : (852) 2504 5970

4 November 2008

All Registered Lift Contractors and Engineers

Dear Sirs,

**Circular No. 10/2008**  
**Code of Practice on the Design and Construction**  
**of Lifts and Escalators (2000 Edition)**  
**Amendment No. 15**

Pursuant to section 27G of the Lifts and Escalators (Safety) Ordinance, Cap. 327, the Code of Practice on the Design and Construction of Lifts and Escalators (2000 Edition) (the Design Code) has been amended so as to be in line with the Design Manual Barrier Free Access 2008 of Buildings Department (effective on 1 December 2008).

Attached please find the Amendment No.15 concerning this subject for your retention. It shall come into operation on 1 December 2008 and be applicable to lifts installed on or after that date.

Yours faithfully,

(George LING)  
for Director of Electrical & Mechanical Services

Encl.

c.c. AD/BS

D of Housing (Attn.: TS/2)

D of Buildings (Attn.: CBS/Legislation)

The Hong Kong General Union of Lift and Escalator Employees

G28/28 SF1 Pt. IV

LS/WF/GL

**Code of Practice**  
**on the Design and Construction of Lifts and Escalators**  
**(2000 Edition)**

**AMENDMENT No. 15 of 2000 Edition**  
**Miscellaneous Amendment**

(Effective as from 1<sup>st</sup> December 2008  
and applicable to lifts installed on or after that date)

<u>Item</u>	<u>Clause</u>	<u>Description</u>
1	Section E Part 1 Clause 10.3.3.2	Replace "When light blinks, please speak or press alarm button again"  By  "When light blinks, it indicates your emergency call has already been received. Please be patient and wait for the rescue"