



Our reference 本署檔號 :

(68) in EMSD/LESD 7-2/4

Your reference 來函檔號 :

Telophone 電話號碼: (852) 2808 3861

Facsimile 圖文傳真: (852) 2504 5970

4 November 2008

All Registered Lift Contractors and Engineers

Dear Sirs,

Circular No. 11/2008
Code of Practice on the Design and Construction
of Lifts and Escalators (2000 Edition)
Amendment No. 16

Pursuant to section 27G of the Lifts and Escalators (Safety) Ordinance, Cap. 327, the Code of Practice on the Design and Construction of Lifts and Escalators (2000 Edition) (the Design Code) has been amended to reduce the risk of electrostatic shock to the passengers of escalators.

Attached please find the Amendment No.16 concerning this subject for your retention. It shall come into operation on 1st January 2009 and be applicable to lifts tendered on or after that date.

Yours faithfully,

(George LING)
for Director of Electrical & Mechanical Services

Encl.

c.c. AD/BS

D of Housing (Attn.: TS/2)

D of Buildings (Attn.: CBS/Legislation)

The Hong Kong General Union of Lift and Escalator Employees

G28/28 SF1 Pt. IV

LS/WF/GL

Code of Practice
on the Design and Construction of Lifts and Escalators
(2000 Edition)

AMENDMENT No. 16 of 2000 Edition
Miscellaneous Amendment

(Effective as from 1st January 2009
and applicable to lifts tendered on or after that date)

<u>Item</u>	<u>Clause</u>	<u>Description</u>
1	Section E Part 4 Clause 3.9	Add the following Clause 3.9 to Clause 3. Handrail : "3.9 Earthing Protection of Handrail Effective means shall be provided to earth the handrail of running escalators to reduce the risk of electrostatic shock to passengers."