根據強制性能源效益標籤計劃(強制性標籤計劃)進行的能源表現監察測試結果(緊湊型熒光燈) - 2015年

Results of Compliance Monitoring Tests on Energy Performance under Mandatory Energy Efficiency Labelling Scheme (MEELS) (Compact Fluorescent Lamps) - Year 2015

(A) 在100小時老練期結束時測試出的功率消耗量及流明輸出量

Measured Power Consumption and Lumen Output at the end of 100-hour period

項目 No.		Model Name	配参考編號 EMSD Assigned Reference Number	下的能源效益級 別 Energy Efficiency Grade	(額定瓦數)(瓦) Rated Power Consumption	(流明) Rated Lumen Output (lm)	Measured Power	出量 (流明) ^{EA2} Measured Lumen Output (Im) ^{Note A2}	求? ^{EA1} Conformance wi Requirements? ^N 功率消耗量 (瓦) Power	th MEELS	储註 Remark
	發放日期: 2015年5月 ts Release Date: May 20	115									
1	佛山照明 FSL	SMFS-13C-E14	L130005	3	13	640	11.26 ^{註/Note A3}	638 註/Note A3	是 Yes	是 Yes	
2	佛山照明 FSL	MHS-20C-B22	L130008	1	20	1220	18.59	1172	是 Yes	是 Yes	

- 註: A1. 如緊凑型熒光燈表列型號的測試結果符合以下要求(產品能源標籤實務守則第9.11段),則該表列型號的流明輸出量和功率消耗量會被接受為符合規定:
 - (a) 在 100 小時老練期結束時,所測試出的功率消耗量的平均值不少於額定功率消耗量的 85%,也不高於額定功率消耗量的 115%;
 - (b) 在 100 小時老練期結束時,所測試出的流明輸出量的平均值不低於額定流明輸出量的 90%;及
 - (c) 所測試出的能源效益級別符合以下其中一項:
 - (i) 在監察測試中所計算出的能源效益級別,相等於或較佳於指明人士向機電工程署呈交的測試結果所釐定的能源效益級別;或
 - (ii) 在監察測試中所計算出的電燈發光效率,不少於向機電工程署呈交的測試結果所計算出的電燈發光效率的85%或額定電燈發光效率的85%,兩者中以較低者來釐定(註:電燈發光效率為流明輸出量及功率消耗量的比率,是釐定產品能源效益級別的其中一項數據。如欲了解詳細的計算方法,可參閱產品能源標籤實務守則第9.5段。)。
 - A2. 表列的數值經四捨五入方式顯示。
 - A3. 該型號在首次測試中部份項目未能符合要求後,在進一步的測試中所得出的測試結果。
- Note: A1. The lumen output and power consumption of a listed model of compact fluorescent lamp will be accepted as conformance if the test results meet the following criteria (clause 9.11 of the Code of Practice on Energy Labelling of Products):
 - (a) The average of the tested power consumptions at the end of 100-hour ageing period being neither less than 85% nor greater than 115% of the rated power consumption;
 - (b) The average of the tested lumen outputs at the end of 100-hour ageing period being not less than 90% of the rated lumen output; and
 - (c) The tested energy efficiency grade meeting either one of the following:
 - (i) The energy efficiency grade calculated in the compliance monitoring testing being equal to or better than the energy efficiency grade determined by the test results submitted to EMSD by the specified person; OR
 - (ii) The tested lamp luminous efficacy calculated in the compliance monitoring testing being not less than 85% of the measured lamp luminous efficacy calculated by the test results submitted to EMSD or the rated lamp luminous efficacy, whichever is smaller. (Remark: Luminous efficacy is determined by computing the ratio of lumen output and power consumption, and is one of the parameters to determine the energy efficiency grade of a product. Please refer to clause 9.5 of the Code of Practice on Energy Labelling of Products for details of calculation method.)
 - A2. All values are rounded figures.
 - A3. Results of further testing conducted after failure of the product to pass some of the items in the first test.

B) 在2000小時結束時測試出的流明維持率

Measured Lumen Maintenance at the end of 2000-hour period

項目 No.		型號 Model Name		Rated Lumen Maintenance (%)	測試出的流明維持率(%) ^{難82} Measured Lumen Maintenance (%) ^{Note 82}	是否符合強制性標 簽計劃 的要求? te81 Conformance with MEELS Requirements? Note B1 流明維持率 Lumen Maintenance	備註 Remark
	·發放日期: 2015年5月 lts Release Date: May 20	015					
1	飛利浦 PHILIPS	Genie 14W E27 Warm White 8000 Hours	L091424	85	92.22	是 Yes	
2	優田 U Land	SRE-24 13W E14 2700K	L120054	80	86.24	是 Yes	
3	OMNI	SP-18W-DL-B22	L120071	80	94.3	是 Yes	

- 註: B1. 如緊湊型熒光燈表列型號的測試結果符合產品能源標籤實務守則第9.11段的要求,即在 2,000 小時結束時,所測試出的流明維持率的平均值不低於額定流明維持率,及如取得第一或第二級標籤,不少於80%,或如取得第 三或第四級標籤,不少於78%,則該表列型號的流明維持率會被接受為符合規定。
 - B2. 表列的數值經四捨五入方式顯示。
- Note: B1. The lumen maintenance of a listed model of compact fluorescent lamp will be accepted as conformance if the test results meet the following criteria as stipulated in clause 9.11 of the Code of Practice on Energy Labelling of Products, i.e. the average of the tested lumen maintenance at 2,000 hours being not less than the rated lumen maintenance, and being not less than 80% for a Grade 1 or 2 label or 78% for a Grade 3 or Grade 4 label.
 - B2. All values are rounded figures.

(C) 測試出的平均壽命

Measured Average Life

Wedstrea Average Life							
百目 lo.	品牌 型號 Brand Model Name		獲機電工程署編配多考編號 EMSD Assigned Reference Number	額定平均壽命(小時) Rated Average Life (Hours)	測試出的平均壽命(小時) Measured Average Life (Hours)	是否符合強制性標籤計劃的要求? Ecri Conformance with MEELS Requirements? Note C1	? 備註 Remark
						50%燈失效時的壽命 Life to 50% Failures	
	L發放日期: 2015年5月 ults Release Date: May 20						
1	日の宝	S-17 12W E14 2700K	L090849	8000	7462	否 No	不符合要求項目-註C1,参考編號已被刪除 註C2。 Non-compliance item-Note C1; reference number removed Note C2.
2	星威 STARWISE	SG15W-28A/E27	L091487	8000	>8000	是 Yes	
3	月亮照明 PLT	FC308B 23W E27 Daylight	L110057	8000	3704	否 No	不符合要求項目-註C1,参考編號已被刪除 註C2。 Non-compliance item-Note C1; reference number removed Note C2.

- 註: C1. 如緊湊型熒光燈表列型號的測試結果符合產品能源標籤實務守則第9.11段的要求,即所測試出的50%燈失效時的壽命(平均壽命)不少於額定50%燈失效時的壽命(額定平均壽命),及如取得第一或第二級標籤,不少於8,000 小時,或如取得第三或第四級標籤,不少於6,000 小時,則該表列型號的50%燈失效時的壽命(平均壽命)會被接受為符合規定。
 - C2. 根據《能源效益(產品標籤)條例》(第598章)第17條,此產品型號的參考編號已從表列型號的紀錄冊上被刪除。因此,此產品型號不得在本港供應。

- Note: C1. The tested life to 50% failures (average life) of a listed model of compact fluorescent lamp will be accepted as conformance if the test results meet the following criteria as stipulated in clause 9.11 of the Code of Practice on Energy Labelling of Products, i.e. the tested life to 50% failures (average life) being not less than the rated life to 50% failures (rated average life) and being not less than 8,000 hours for a Grade 1 or Grade 2 label or 6,000 hours for a Grade 3 or Grade 4 label.
 - C2. Under section 17 of the Energy Efficiency (Labelling of Products) Ordinance Cap. 598, the reference number of the model has been removed from the record of listed models. As a result, this model is not allowed to be supplied in Hong Kong.