香港特別行政區政府 機電工程署 香港九龍啓成街3號

Electrical and Mechanical Services Department Government of the Hong Kong Special Administrative Region 3 Kai Shing Street, Kowloon, Hong Kong www.emsd.gov.hk

Our reference 本署檔號: FMSD/FFO/LB/30/37

Telephone 電話號碼:

2808 3798

Your reference 來函檔號:

Facsimile 圖文傳真:

2890 6081

23 June 2023

To:

All Specified Persons of Dehumidifiers

Dear Sir/Madam.

## Circular No. 1/2023

## **Mandatory Energy Efficiency Labelling Scheme**

## **Expression of Dehumidifying Capacity under Standard Test** Conditions (26.7°C and 60% RH) for Dehumidifiers

When a specified person submits the specified information and specified documents under section 6 of the Energy Efficiency (Labelling of Products) Ordinance (Cap. 598) (the Ordinance), the dehumidifying capacity of the dehumidifiers shall be expressed and determined under the ANSI/AHAM DH-1 standard test conditions in accordance with clause 11.4.1 of the Code of Practice on Labelling of Products 2020, i.e. 26.7°C and 60% RH.

- 2. Under Section 11 of the Ordinance, the specified person shall not engage in any conduct that deceives or misleads or is likely to deceive or mislead another person as to the energy efficiency or performance characteristics of any prescribed products of the listed model.
- With a view to providing clear information for facilitating the consumers in choosing energy efficient products and avoiding confusion, the expression of dehumidifying capacity for dehumidifiers should align with the dehumidifying capacity as shown on the energy label, which is under the standard test conditions (i.e. 26.7°C and 60% RH). From 1 November 2023 onwards, expression of dehumidifying capacity for dehumidifiers under other non-standard test conditions (e.g. 30°C and 80% RH) should be avoided.

4. Should you have any enquires, please feel free to contact our Mr. M T AU at 3757 6163 or Mr. C T LOK at 3757 6122.

Yours faithfully,

(LIU Hon Wa, George)

for Director of Electrical and Mechanical Services