# EMSD Registers - Recognized Certification Body for Electrical Products

## 機電工程署登記名冊 —— 電氣產品認可核證團體名單

| | | | |
|---|---|---|---|
| Organization<br>機構名稱 | : | **Shenzhen Anbotek Compliance Laboratory Limited**<br>**深圳市安博技術服務有限公司** | ARCB No. : ARCB0109<br>認可核證團體編號 |
| Address<br>地址 | : | 1/F., Building 1, SEC Industrial Park, South of Neihuan Road & East of Gangwan Road, Nanshan District, Shenzhen, Guangdong, China<br>廣東省深圳市南山區港灣大道東內環路南能源工業小區一棟一樓 | Last Update: 12/6/2012<br>更新日期 |
| Telephone<br>電話 | : | 0755-26064492 | |
| Fax<br>傳真 | : | 0755-26014772 | |
| E-mail<br>電郵 | : | | |

**Approved Classes of Electrical Products to be Certified**
**認可核證電氣產品類別**

As detailed in the Laboratory Accreditation Certificate No. CNAS L3503 dated 24.6.2011 and the attached appendices for the scope of accreditation issued by the China National Accreditation Service for Conformity Assessment (CNAS) dated 24.6.2011.
2011 年 6 月 24 日由中國合格評定國家認可委員會（ CNAS ）發出實驗室認可證書（編號： CNAS L3503 ）及於 2011 年 6 月 24 日發出有關認可檢測能力範圍的附件。

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| ➢ **資訊技術設備**(不測：電容量;尺寸大於 1000*1000*1000mm 產品;超載試驗;耐久性試驗;瞬態電壓電平的測量;材料相比耐漏電起痕指數試驗;半導體裝置；(附錄 U)絕緣繞組線;塗覆印製板;封裝和密封的零部件;充填絕緣化合物的試驗;元件的外部接線端子;交流電源軟線;陰極射線管;可燃性液體;輻射;(附錄 A)本生燈火焰燃燒試驗; 5kV 以上的耐壓測試;脈衝試驗;電壓衝擊試驗;脈衝試驗) | ➢ **Information technology equipment** (Except for capacitance, Size greater than 1000×1000×1000mm product, overload, Endurance test, Measurement of transient voltages, Material group and comparative tracking index, Semiconductor devices,(Annex U)Insulated winding wires for use without interleaved insulation, Tests on coated printed boards, Enclosed and sealed parts, Spacings filled by insulating compound, Component external terminations, AC power supply cords, Cathode ray tubes, Flammable liquids, Radiation (Annex A), Flammability test used Bunsen burner, greater than 5kV electric strength, Impulse test, Voltage surge test , Impulse test) |
| ➢ **音頻、視頻及類似設備**(不測：輻射；絕緣材料的耐熱;繞組元件耐久性試驗;放電試驗;尺寸大於 1000×1000×1000mm 產品;電湧試驗;振動試驗;只能測：元器件電氣間隙和爬電距離的尺寸;外接軟線;外接軟線的力矩試驗;2Nm 以上力矩試驗;本生燈火焰燃燒試驗) | ➢ **Audio Video and similar electronic apparatus** (Except for radiation, Heat resistance of insulating material, Endurance test for wound components with insulated winding wires without additional interleaved insulation, energy of discharge, product larger than 1000×1000×1000mm, Surge test, Vibration test, Only measure Clearances and creepage distance dimension between components, External flexible cords, External flexible cord torque test, greater than 2Nm torque test, Flammability test used Bunsen burner) |
| ➢ **機械設備**(只測:接地電阻,絕緣電阻,耐壓測試) | ➢ **Machinery** (Accredited only for Continuity of the protective bonding circuit, Insulation resistance, Voltage test) |
| ➢ **變壓器、電源、電抗器和類似設備**(不測:放電量;振動;力矩; IP 等級高於 IP20;尺寸大於 1000×1000×1000mm 的產品; 5KV 以上;劃痕試驗;電源軟線測試;除螺絲以外的所有扭力測試(大於 1.2N 以上力矩);多層絕緣的絕緣繞組線測試;卷軸測試;耐電痕化;防銹) | ➢ **Power transformers, power supplies, reactors and similar products** (Except for Discharge, Vibration, Torque, IP code test higher than IP20, Size greater than 1000×1000×1000mm product, Greater than 5KV, Scratch test, External flexible cables or cords test, Only screws torque(greater than 1.2N), Multilayer thin sheets of insulated material, Mandrel test, Resistance to tracking, Resistance to rusting) |
| ➢ **測量、控制和試驗室用電氣設備**(不測：液體最大壓力，高壓洩漏和破裂，低壓單元的洩漏，過壓安全裝置，產生電離輻射的設備，紫外線輻射，微波輻射，聲壓力，超聲壓力，鐳射源，有毒和有害氣體，防爆炸和炸裂（內爆），陰極射線管的內爆) | ➢ **Laboratory equipment** (Except for max. pressure of liquid, high pressure leakage and breaked, low pressure leakage, overpressure safety devices, Ionization devices, Ultraviolet radiation, microwave radiation, sonic, ultrasonic pressure, laser Source, Poisonous and injurious gases, protection against explosion and implosion, CRT explosion) |
| ➢ **不間斷電源設備**(不測：電容量,尺寸大於 1000*1000*1000mm,超載試驗，耐久性試驗瞬態電壓電平的測量,材料相比耐漏電起痕指數試驗,半導體裝置，(附錄 U)絕緣繞組線，塗覆印製板,封裝和密封的零部件,充填絕緣化合物的試驗,元件的外部接線端子,交流電源軟線,陰極射線管,可燃性液體,輻射, (附錄 A)本生燈火焰燃燒試驗, 5kV 以上,脈衝試驗) | ➢ **UPS products** (Except for capacitance, Size greater than 1000×1000×1000mm product, overload, Endurance test, Measurement of transient voltages, Material group and comparative tracking index, Semiconductor devices, (Annex U) Insulated winding wires for use without interleaved insulation, Tests on coated printed boards, Enclosed and sealed parts, Spacings filled by insulating compound, Component external terminations, AC power supply cords, Cathode ray tubes, Flammable liquids, Radiation, Annex A Flammability test used Bunsen burner, greater than 5kV, Impulse test) |
| ➢ **家用和類似用途電器** | ➢ **Household and similar electrical appliances** |
| 真空吸塵器和吸水式清潔器具（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,清潔器具的額外機械強度要求） | Vacuum cleaners and water suction cleaning appliances (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, additional mechanical strength requirements for cleansers) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 保溫板（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器） | Warming plates and similar appliances (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers) |
| 食物烤箱、多士爐、電烤架、旋轉烤架、平烤爐、燒烤機電器（不測: IP 防護，，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,旋轉烤叉,防銹） | Grills, toasters and similar portable cooking appliances (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, rotary grill, Resistance to rusting) |
| 液體加熱器,電水壺,咖啡壺（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,壓力消除裝置的異常操作,無線水壺的器具耦合器） | Appliances for heating liquids (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, abnormal operation for pressure-relief devices, appliance coupler of cordless kettles) |
| 皮膚或毛髮護理器具（不測: IP 防護，，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,帶旋轉連接的器具的 1500 個旋轉的溫度測試，限制熱散發,頭盔式乾髮器） | Appliances for skin or hair care (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, temperature test for 1500 revolutions of appliances incorporating a swivel connection, Restricted heat dissipation, Helmet-type hairdryers) |
| 製冷器具、霜淇淋機和制冰機（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,使用可燃製冷劑的壓縮式器具,機械強度） | Refrigerating appliances, ice-cream appliances and ice-makers (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, compressed appliances with flammable refrigerants ,mechanical strength) |
| 紫外線和紅外線輻射皮膚器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,帶有計時器的紫外線器具的結構） | Ultraviolet and infrared radiation appliance (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, construction of UV appliances incorporating a timer) |
| 室內加熱器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫升） | Room heaters (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, heating) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 按摩電器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器） | Massage appliances (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers) |
| 商用電爐灶、烤箱（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管） | Commercial electric cooking ranges, ovens, hobs and hob elements (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |
| 商用電深油炸鍋（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管,濾網和耐火和耐熱） | Commercial electric deep fat fryers (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat, Resistance to heat and fire of filter) |
| 商用電烤盤和烤架（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管） | Commercial electric griddles and griddle grills (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |
| 對流烤爐、蒸汽炊具（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,,溫控器的毛細管） | Commercial electric forced convection ovens, steam cookers and steam-convection ovens (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |
| 商用電煮鍋（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,壓力釋放裝置,溫控器的毛細管） | Commercial electric boiling pans (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, pressure relief device, capillary tube of thermostat ) |
| 商用電烤爐和烤麵包爐（不測: IP 防護，，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管） | Commercial electric grillers and toasters (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 商用電熱食品和陶瓷餐具保溫器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管） | Commercial electric appliances for keeping food and crockery warm (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |
| 商用電雙層蒸鍋（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,溫控器的毛細管） | Commercial electric bains-marie (Except for: Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, capillary tube of thermostat ) |
| 商用炊事電機械（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,清洗和乾燥食物的器具,磨刀器的轉速,溫控器的毛細管） | Commercial electric kitchen machines (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, Appliances for washing and drying foodstuffs, rotation speed of Knife sharpeners, capillary tube of thermostat ) |
| 空氣淨化器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器） | Air-cleaning appliances (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers) |
| 商業分配電器和自動售貨機（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,帶有壓力容器的器具的結構） | Commercial dispensing appliances and vending machines (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, construction of appliances having pressurized containers) |
| 風扇（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器） | Fans (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers) |
| 服務和娛樂器具（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,防銹） | Service machines and amusement machines (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, resistance to rusting) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 加濕器（不測: IP 防護，電子斷開 OFF 位置的 EMC 要求，固體絕緣防止尖銳物刺穿的強度，附件絕緣和強化絕緣的污染物沉積，水源，零部件，接地端子，爬電距離，輻射，毒性和類似危害，附錄 F 電容器，附錄 H 開關，附錄 J 塗層印刷線路板，附錄 R 軟體，附錄 G 完全隔離變壓器,打算連接到水源的器具的結構） | Humidifier (Except for: IP protection, EMC requirements for appliances having a an off position by electronic disconnection, solid insulation has strength to prevent penetration by sharp implements., deposition of pollution for supplementary insulation and reinforced insulation, water mains, components, earth terminal, creepage distance, radiation, toxicity and similar hazards, Annex F capacitors, Annex H switches, Annex J coated printed circuit boards, Annex R software , Annex G safety isolating transformers, construction of appliances intended to be connected to the water mains) |
| ➢ **燈具** | ➢ **Luminaires** |
| 固定的通用照明設備 | Fixed general purpose luminaries |
| 嵌入式燈具 | Recessed luminaires |
| 可移動式的通用照明設備 | Portable general purpose luminaires |
| 手提燈(不測:帶電源軟線的手提燈的器具,帶有軟線材料的把手或外殼的手提燈的耐熱） | Handlamps (Except for construction of handlamp with a flexible cable or cord, resistance to heat for handlamps having a handle or shell of flexible material) |
| 兒童用可移式燈具 | Portable luminaires for children |
| 舞臺燈 | Stage lighting |
| 燈串 | Lighting chains |
| 自鎮流燈（只測 E27 燈頭自鎮流燈） | Self-ballasted lamps (Accredited only for on E27 Cap self-Ballast Lamp) |
| 螢光燈用交流電子鎮流器（不測:直徑>3.6mm 的螺釘，異常條件，不對稱脈衝測試，不對稱功率測試，開放燈絲測試） | Electronic ballasts for fluorescent lamps (Except for: Screws have diameter >3.6mm, abnormal conditions, Asymmetric pulse test, Asymmetric power test, open filament test) |
| LED 模組用電子控制裝置(不測:直徑>3.6mm 的螺釘，附錄 I 測試） | Electronic controlgear for LED modules (Except for: Screws have diameter >3.6mm, Annex I test) |
| LED 模組（不測:直徑>3.6mm 的螺釘，附錄 I 測試） | LED modules (Except for: Screws have diameter >3.6mm,Annex I test) |
| ➢ **醫療產品** | ➢ **Medical device** |
| 醫療電源(不測:三相醫療電源, 17h 除顫） | Medical electrical Power Supply (Except for: Three phase Medical Power supply,17 h Defibrillation-proof test) |
| 美容儀(不測:三相醫療電源, 17h 除顫） | Beauty instrument (Except for: Three phase Medical Power supply,17 h Defibrillation-proof test) |