EMSD Registers - Recognized Certification Body for Electrical Products

機電工程署登記名冊 —— 電氣產品認可核證團體名單

Organization 機構名稱	:	**Shenzhen NTEK Testing Technology Co., Ltd.** **深圳市北测檢测技術有限公司**	ARCB No. : ARCB0118 認可核證團體編號
Address 地址	:	1/F, Building E, Fenda Science Park, Sanwei, Xixiang, Bao'an District, Shenzhen, Guangdong, China 廣東省深圳市寶安區西鄉三圍奮達科技創意園 E 棟 1 樓	Last Update: 29/1/2015 更新日期
Telephone 電話	:	86-0755-61155918	
Fax 傳真	:	86-0755-61156599	
E-mail 電郵	:		

Approved Classes of Electrical Products to be Certified
認可核證電氣產品類別

As detailed in the Laboratory Accreditation Certificate No. CNAS L5516 dated 04.09.2014 and the attached appendices for the scope of accreditation issued by the China National Accreditation Service for Conformity Assessment (CNAS) dated 04.09.2014.
2014 年 09 月 04 日由中國合格評定國家認可委員會（ CNAS ）發出實驗室認可證書（編號： CNAS L5516 ）及於 2014 年 09 月 04 日發出有關認可檢測能力範圍的附件。

電氣產品類別	Classes of Electrical Products
➢ **家庭設備及類似設備**	➢ **Household and Similar Equipment**
皮膚或毛髮護理器具(不測 IP 等級、防塵、氣壓、氧彈、軟體、水壓、回水、鍍層厚度、附錄 F、附錄 J、附錄 R、頭盔式乾髮器)	Appliances for skin or hair care (Excluding IP class, solid insulation, dust proof, pressure, oxygen bomb, software, water pressure, backsiphonage, coated or uncoated steel, Annex A, Annex F, Annex J, Annex K, Annex M, Annex R, helmet-type hairdryer)
電風筒(不測 IP 等級、防塵、氣壓、氧彈、軟體、水壓、回水、鍍層厚度、附錄 F、附錄 J、附錄 R、頭盔式乾髮器)	Electric hair dryers (Excluding IP class, solid insulation, dust proof, pressure, oxygen bomb, software, water pressure, backsiphonage, coated or uncoated steel, Annex A, Annex F, Annex J, Annex K, Annex M, Annex R, helmet-type hairdryer)
電池充電器(不測 IP 等級、固體絕緣強度、防塵、氣壓、氧彈、軟體、水壓、虹吸、鍍層厚度、附錄 A、附錄 F、附錄 J、附錄 K、附錄 M、附錄 R)	Battery chargers (Excluding IP class, solid insulation, dust proof, pressure, oxygen bomb, software, water pressure, backsiphonage, coated or uncoated steel, Annex A, Annex F, Annex J, Annex K, Annex M, Annex R)
➢ **照明設備**	➢ **Lighting**
一般用途固定式照明器(不測螺紋密封壓蓋、短路保護測試、防銹、紫外線輻射測試、IP 等級測試、100cm×100cm×100cm 以上的樣品的潮濕實驗、100cm×100cm×100cm 以上的樣品的耐久性測試、螺紋接線端子、無螺紋接線端子和電氣連接件)	Luminaires, fixed, general purpose (Excluding screws not made of soft metal test, resistance to corrosion, UV radiation, short-circuit protection, IP degree test, humidity test of whose volume exceed 100cm×100cm×100cm, endurance test of whose volume exceed 100cm×100cm×100 cm, screw terminals, screwless terminals)
嵌入式照明器(不測螺紋密封壓蓋、短路保護測試、防銹、紫外線輻射測試、IP 等級測試、100cm×100cm×100cm 以上的樣品的潮濕實驗、100cm×100cm×100cm 以上的樣品的耐久性測試、螺紋接線端子、無螺紋接線端子和電氣連接件)	Recessed luminaires (Excluding screws not made of soft metal test, resistance to corrosion, UV radiation, short-circuit protection, IP degree test, humidity test of whose volume exceed 100cm×100cm×100cm, endurance test of whose volume exceed 100cm×100cm×100 cm, screw terminals, screwless terminals)
一般用途手提照明器(不測靜態負荷測試、螺紋密封壓蓋、短路保護測試、防銹、紫外線輻射測試、IP 等級測試、100cm×100cm×100cm 以上的樣品的潮濕實驗、100cm×100cm×100cm 以上的樣品的耐久性測試、螺紋接線端子、無螺紋接線端子和電氣連接件)	Portable general purpose luminaires (Excluding shear load test, screws not made of soft metal test, resistance to corrosion, UV radiation, short-circuit protection, IP degree test, humidity test of whose volume exceed 100cm×100cm×100cm, endurance test of whose volume exceed 100cm×100cm×100 cm, screw terminals, screwless terminals)
自鎮流 LED 燈(不測除 E27,E14 燈頭以外的互換性試驗、除 E27,E14,燈頭以外的防觸電保護)	Self-ballasted LED lamps (Excluding interchangeability test other than E27,E14 lamp cap, protection against electric shock other than E27,E14 cap)
備有鎮流器的電燈(不測除 E14,E27 燈頭以外的互換性試驗、除 E14,E27 燈頭以外的防觸電保護)	Self-ballasted lamps (Excluding interchangeability other than E14,E27 cap, protection against electric shock other than E14,E27 cap)
➢ **電子、娛樂器具**	➢ **Electronics, Entertainment**
擴音器(不測三相產品、絕緣材料的耐熱、潮汰(體積大於 1m×1m×1m 的樣品)、無襯墊絕緣繞組線、撞擊測試、附錄 J：確定最小電氣間隙的替代方法、電容器、保護裝置、開關、光電耦合器、壓敏電阻測試、電源軟線、附錄 A：防水濺設備的附加要求、附錄 B：與通信網路連接的設備、附錄 H：無需用隔層絕緣的絕緣繞組線、附錄 L：攝影用電子閃光設備的附加要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Amplifiers (Excluding three phase products, heat resistance of insulating material, humidity conditioning (dimensions exceed 1m×1m×1m sample), insulated winding wires for use without interleaved insulation, bump test, Annex J Alternative method for determining minimum clearances, capacitor, protection device, switch, photocoupler, VDR test, fexible cords, Annex A Additional requirements for apparatus with protection against splashing water, Annex B Apparatus to be connected to the TELECOMMUNICATION NETWORKS, Annex H Insulated winding wires for use without interleaved insulation, Annex L Additional requirements for electronic flash apparatus for photographic purposes, Annex Zx Protection against excessive)

電氣產品類別	Classes of Electrical Products
音響器材(不測三相產品、絕緣材料的耐熱、潮汰(體積大於 1m×1m×1m 的樣品)、無襯墊絕緣繞組線、撞擊測試、附錄 J：確定最小電氣間隙的替代方法、電容器、保護裝置、開關、光電耦合器、壓敏電阻測試、電源軟線、附錄 A：防水濺設備的附加要求、附錄 B：與通信網路連接的設備、附錄 H：無需用隔層絕緣的絕緣繞組線、附錄 L：攝影用電子閃光設備的附加要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Audio equipment (Excluding three phase products, heat resistance of insulating material, humidity conditioning (dimensions exceed 1m×1m×1m sample), insulated winding wires for use without interleaved insulation, bump test, Annex J Alternative method for determining minimum clearances, capacitor, protection device, switch, photocoupler, VDR test, fexible cords, Annex A Additional requirements for apparatus with protection against splashing water, Annex B Apparatus to be connected to the TELECOMMUNICATION NETWORKS, Annex H Insulated winding wires for use without interleaved insulation, Annex L Additional requirements for electronic flash apparatus for photographic purposes, Annex Zx Protection against excessive)
卡拉 OK 器材(不測三相產品、絕緣材料的耐熱、潮汰(體積大於 1m×1m×1m 的樣品)、無襯墊絕緣繞組線、撞擊測試、附錄 J：確定最小電氣間隙的替代方法、電容器、保護裝置、開關、光電耦合器、壓敏電阻測試、電源軟線、附錄 A：防水濺設備的附加要求、附錄 B：與通信網路連接的設備、附錄 H：無需用隔層絕緣的絕緣繞組線、附錄 L：攝影用電子閃光設備的附加要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Karaoke equipment (Excluding three phase products, heat resistance of insulating material, humidity conditioning (dimensions exceed 1m×1m×1m sample), insulated winding wires for use without interleaved insulation, bump test, Annex J Alternative method for determining minimum clearances, capacitor, protection device, switch, photocoupler, VDR test, fexible cords, Annex A Additional requirements for apparatus with protection against splashing water, Annex B Apparatus to be connected to the TELECOMMUNICATION NETWORKS, Annex H Insulated winding wires for use without interleaved insulation, Annex L Additional requirements for electronic flash apparatus for photographic purposes, Annex Zx Protection against excessive)
電視(不測三相產品、絕緣材料的耐熱、潮汰(體積大於 1m×1m×1m 的樣品)、無襯墊絕緣繞組線、撞擊測試、附錄 J：確定最小電氣間隙的替代方法、電容器、保護裝置、開關、光電耦合器、壓敏電阻測試、電源軟線、附錄 A：防水濺設備的附加要求、附錄 B：與通信網路連接的設備、附錄 H：無需用隔層絕緣的絕緣繞組線、附錄 L：攝影用電子閃光設備的附加要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Television (Excluding three phase products, heat resistance of insulating material, humidity conditioning (dimensions exceed 1m×1m×1m sample), insulated winding wires for use without interleaved insulation, bump test, Annex J Alternative method for determining minimum clearances, capacitor, protection device, switch, photocoupler, VDR test, fexible cords, Annex A Additional requirements for apparatus with protection against splashing water, Annex B Apparatus to be connected to the TELECOMMUNICATION NETWORKS, Annex H Insulated winding wires for use without interleaved insulation, Annex L Additional requirements for electronic flash apparatus for photographic purposes, Annex Zx Protection against excessive)
影視器材(不測三相產品、絕緣材料的耐熱、潮汰(體積大於 1m×1m×1m 的樣品)、無襯墊絕緣繞組線、撞擊測試、附錄 J：確定最小電氣間隙的替代方法、電容器、保護裝置、開關、光電耦合器、壓敏電阻測試、電源軟線、附錄 A：防水濺設備的附加要求、附錄 B：與通信網路連接的設備、附錄 H：無需用隔層絕緣的絕緣繞組線、附錄 L：攝影用電子閃光設備的附加要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Video equipment (Excluding three phase products, heat resistance of insulating material, humidity conditioning (dimensions exceed 1m×1m×1m sample), insulated winding wires for use without interleaved insulation, bump test, Annex J Alternative method for determining minimum clearances, capacitor, protection device, switch, photocoupler, VDR test, fexible cords, Annex A Additional requirements for apparatus with protection against splashing water, Annex B Apparatus to be connected to the TELECOMMUNICATION NETWORKS, Annex H Insulated winding wires for use without interleaved insulation, Annex L Additional requirements for electronic flash apparatus for photographic purposes, Annex Zx Protection against excessive)
➢ **資訊科技設備**	➢ **Information technology equipment**
數據處理設備(不測控溫裝置、一次電路的電容器、接到 IT 配電系統的設備的元器件、浪湧抑制器、三相設備、潮熱試驗(體積大於 1m×1m×1m 的樣品)、電網電源瞬態電壓、不可分離的簿層材料、塗覆的印製板、耐劃痕試驗、800N、陰極射線管的機械強度、高壓燈、可燃性液體、輻射、灼熱燃油試驗、附錄 B：超載、附錄 G：確定最小電氣間隙的替代方法、附錄 H：電離輻射、附錄 K：溫控裝置、附錄 M：電話振鈴信號準則、附錄 N：脈衝試驗發生器、附錄 Q：壓敏電阻、附錄 T：進水防護導則、附錄 U：無需使用隔層絕緣的絕緣繞組線、附錄 Y：紫外線環境試驗、附錄 AA：卷軸試驗、附錄 CC：集成限流保護元件的要求、附錄 Zx：個人音樂播放機的聲壓測試和防護(接上)附錄 U：無需使用隔層絕緣的絕緣繞組線、附錄 Y：紫外線環境試驗、附錄 AA：卷軸試驗、附錄 CC：集成限流保護元件的要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Data processing equipment (Excluding thermal controls, capacitors bridging insulation, components in equipment for IT power distribution systems, surge suppressors, three phase equipment, humidity conditioning (dimensions exceed 1m×1m×1m sample), mains transient voltages, non-separable thin sheet material, coated printed boards, abrasion resistance test, 800N, cathode ray tubes, high pressure lamps, flammable liquids, radiation, hot flaming oil test, Annex B Overload, Annex G Alternative method for determining minimum clearance, Annex H Ionizing radiation, Annex K Thermal controls, Annex M Criteria for telephone ringing signals, Annex N Impulse test generators, Annex Q Voltage dependent resistors (VDRs), Annex T Guidance on protection against ingress of water, Annex U Insulated winding wires for use without interleaved insulation, Annex Y Ultraviolet light conditioning test, Annex AA Mandrel test, Annex CC Evaluation of integrated circuit (IC) current limiters, Annex Zx Significance of LAeq,T in EN 50332-1 and additional information)

電氣產品類別	Classes of Electrical Products
電腦顯示器(不測控溫裝置、一次電路的電容器、接到 IT 配電系統的設備的元器件、浪湧抑制器、三相設備、潮熱試驗(體積大於 1m×1m×1m 的樣品)、電網電源瞬態電壓、不可分離的簿層材料、塗覆的印製板、耐劃痕試驗、800N、陰極射線管的機械強度、高壓燈、可燃性液體、輻射、灼熱燃油試驗、附錄 B：超載、附錄 G：確定最小電氣間隙的替代方法、附錄 H：電離輻射、附錄 K：溫控裝置、附錄 M：電話振鈴信號準則、附錄 N：脈衝試驗發生器、附錄 Q：壓敏電阻、附錄 T：進水防護導則、附錄 U：無需使用隔層絕緣的絕緣繞組線、附錄 Y：紫外線環境試驗、附錄 AA：卷軸試驗、附錄 CC：集成限流保護元件的要求、附錄 Zx：個人音樂播放機的聲壓測試和防護(接上)附錄 U：無需使用隔層絕緣的絕緣繞組線、附錄 Y：紫外線環境試驗、附錄 AA：卷軸試驗、附錄 CC：集成限流保護元件的要求、附錄 Zx：個人音樂播放機的聲壓測試和防護)	Visual display units for computer (Excluding thermal controls, capacitors bridging insulation, components in equipment for IT power distribution systems, surge suppressors, three phase equipment, humidity conditioning (dimensions exceed 1m×1m×1m sample), mains transient voltages, non-separable thin sheet material, coated printed boards, abrasion resistance test, 800N, cathode ray tubes, high pressure lamps, flammable liquids, radiation, hot flaming oil test, Annex B Overload, Annex G Alternative method for determining minimum clearance, Annex H Ionizing radiation, Annex K Thermal controls, Annex M Criteria for telephone ringing signals, Annex N Impulse test generators, Annex Q Voltage dependent resistors (VDRs), Annex T Guidance on protection against ingress of water, Annex U Insulated winding wires for use without interleaved insulation, Annex Y Ultraviolet light conditioning test, Annex AA Mandrel test, Annex CC Evaluation of integrated circuit (IC) current limiters, Annex Zx Significance of LAeq,T in EN 50332-1 and additional information)