# EMSD Registers - Recognized Certification Body for Electrical Products

## 機電工程署登記名冊 —— 電氣產品認可核證團體名單

| | | | |
|---|---|---|---|
| Organization<br>機構名稱 | : | **SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center**<br>**通標標準技術服務(上海)有限公司** | ARCB No. : ARCB0130<br>認可核證團體編號 |
| Address<br>地址 | : | No. 588 West Jindu Rd, Xinqiao Town, Songjiang District, Shanghai<br>上海市松江區新橋鎮金都西路 588 號 | Last Update: 20/1/2019<br>更新日期 |
| Telephone<br>電話 | : | 020 32136901 | |
| Fax<br>傳真 | : | 020 82075058 | |
| E-mail<br>電郵 | : | | |

**Approved Classes of Electrical Products to be Certified**
**認可核證電氣產品類別**

As detailed in the Laboratory Accreditation Certificate No. CNAS L0599 dated 10.18.2018 and the attached appendices for the scope of accreditation issued by the China National Accreditation Service for Conformity Assessment (CNAS) dated 10.18.2018.
詳細資料載於 2018 年 10 月 18 日由中國合格評定國家認可委員會（ CNAS ）發出實驗室認可證書（編號： CNAS L0599 ）及於 2018 年 10 月 18 日發出有關認可檢測能力範圍的附件。

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| ➢ **燈座** | ➢ **Lampholders** |
| 螺絲燈座 | Edison screw type lampholders |
| ➢ **家庭設備及類似設備** | ➢ **Household and Similar Equipment** |
| 空氣淨化機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Air-cleaning appliances<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 空氣清新機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Air fresheners<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 液體加熱器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Appliances for heating liquids<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 皮膚或頭髮護理器具<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Appliances for skin or hair care<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電池充電器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Battery chargers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 清潔器具<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Cleaning appliances<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 乾衣機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Clothes dryers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 煮食爐具<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Cooking ranges<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 油炸鍋<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Deep fat fryers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 洗碗碟機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Dishwashers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 乾式電熨斗<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric dry irons<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 電風扇<br>(不測 ：20.101 扇葉硬度測試、22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric fans<br>(Except for 20.101 hardness test of fan blades, 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電風筒<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric hair dryers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電熨衣機(附有襯墊面作熨平衣服用)<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric ironers (with padded surface for pressing)<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 廚房用電動機器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric kitchen machines<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電動液體泵<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric pumps for liquids<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 蒸氣浴用電力加熱器具(只測：預制式桑拿器。不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、F附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric sauna heating appliances<br>(Only Prefabricated sauna. Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電鬚刨<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric shavers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 蒸氣電熨斗<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric steam irons<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電氣化廁所<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electric toilets<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 供水族箱及花園池塘用的 電力器具（如氣泵、水族箱熱水器）<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Electrical appliances for use with aquariums and garden ponds (e.g. aerators, aquarium heaters)<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 蒸氣熨衣器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Fabric steamers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 地板處理機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Floor treatment machines<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 食物冷藏櫃<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Food freezers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 電煎鍋<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Frying pans<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 烤具<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Grills<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 髮剪<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Hair clippers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 加濕器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Humidifiers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 製冰機<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Ice-makers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電磁爐<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Induction hotplates<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 殺蟲器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Insect killers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 驅蟲器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Insect repellers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 按摩器<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Massage appliances<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 微波爐<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Microwave ovens<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 口腔衛生器具<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Oral hygiene appliances<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 戶外燒烤爐<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Outdoor barbecues<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 焗爐<br>(不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。) | Ovens<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 電源變壓器及供電裝置(只測：單相；不測：19.9 氧彈試驗、19.10 劃痕測試。) | Power transformers and power supply units<br>(Only accredited for Single-phase. Except for 19.9 Oxygen bomb test and 19.10 scratch test.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 抽油煙機<br>（不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Range hoods<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 雪櫃<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Refrigerators<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 烤爐<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Roasters<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 房間電暖爐<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Room heaters<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 縫紉機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Sewing machines<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 旋轉式抽離機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Spin extractors<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 烤麵包機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Toasters<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 毛巾架<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Towel rails<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation. |
| 滾筒式乾衣機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Tumble dryers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 吸塵機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估、3.101吸水式清洗器具、21.101載流管耐擠壓、21.102載流管耐磨損、21.103載流管耐彎曲、21.104載流管耐扭曲、21.105載流管耐寒冷。） | Vacuum cleaners<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation,3.101,watersuction cleaning appliance,21.101 , 21.102, 21.103,21.104,21.105 test on current carrying hose.) |
| 汽化器<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Vaporizers<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| 加熱板<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Warming plates<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation. |
| 洗衣機<br>（不测 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Washing machines<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 吸水清潔器具<br>（不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估、3.101吸水式清洗器具、21.101載流管耐擠壓、21.102載流管耐磨損、21.103載流管耐彎曲、21.104載流管耐扭曲、21.105載流管耐寒冷。） | Water suction cleaning appliances<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation,3.101,watersuction cleaning appliance,21.101 , 21.102, 21.103,21.104,21.105 test on current carrying hose) |
| 地板洗刷機<br>（不測 ：22.32氧彈試驗、22.48防倒虹吸測試、24.1.1電容、24.1.4自動控制器、附錄F 電容器、附錄J 塗覆印刷電路板、 附錄R 軟件評估。） | Wet scrubbing machines<br>(Except for 22.32 Oxygen bomb test;22.48 tests for hose, 24.1.1 capacitor test, 24.1.4 automatic control, annex F Capacitors, annex J Coated printed circuit boards, annex R Software evaluation.) |
| ➢ **照明設備** | ➢ **Lighting** |
| 管式熒光燈交流電電子鎮流器 | A.C. supplied electronic ballasts of tubular fluorescent lamps |
| 放電燈鎮流器 | Ballasts for discharge lamps |
| 管式熒光燈鎮流器 | Ballasts for tubular fluorescent lamps |
| 雙頭熒光燈<br>（只測：燈長度≤1200㎜） | Double capped fluorescent lamps (only for length of lamp≤1200mm) |
| 白熱絲燈電子降壓轉換器 | Electronic step-down convertors for filament lamps |
| 泛光燈 | Floodlights |
| 手提燈 | Handlamps |
| 白熾燈<br>（不測：壽終安全性。只測：GU10、GZ10、卡口螺口燈座） | Incandescent lamps<br>(Except for safety at end of life. Accredited only for GU10, GZ10 and edison screw cap or bases) |
| 燈飾串 | Lighting chains |
| 水族箱照明器 | Luminaires for aquarium |
| 一般用途固定照明器 | Luminaires, fixed, general purpose |
| 緊急用照明器 | Luminaires for emergency |
| 供白熱絲燈用，內置變壓器的照明器 | Luminaires with built-in transformers for filament lamps |
| 小夜燈 | Nightlights |
| 一般用途手提照明器 | Portable general purpose luminaires |
| 供花園用的手提照明器 | Portable luminaires for garden use |
| 隱藏的照明器 | Recessed luminaires |
| 備有鎮流器的電燈 | Self-ballasted lamps |
| 單頭熒光燈 | Single-capped fluorescent lamps |
| 鎢絲燈 | Tungsten filament lamps |
| 鎢絲鹵燈<br>（不測：壽終安全性） | Tungsten halogen lamps<br>(Except for safety at end of life.) |
| ➢ **資訊科技設備** | ➢ **Information Technology Equipment** |
| 影印機<br>（不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。） | Copying machine<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 數據處理設備<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Data processing equipment<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |
| 傳真機<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Facsimile machine<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |
| 調解器<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Modem<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |
| 電話錄音機<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Telephone answering machines<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |
| 打字機<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Typewriters<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |

| 電氣產品類別 | Classes of Electrical Products |
|---|---|
| 電腦顯示器<br>(不測：1.5.6電容器、1.5.7電阻、2.10.3.2瞬態電壓、2.10.5.4半導體器件、2.10.8印制板、3.2.5.1交流電源線、4.2.8陰極射線管、4.2.9高壓燈、4.3.12可燃液體，4.3.13.2-5輻射、附錄A.3熱燃油試驗、附錄G確定最小電氣間隙的替代方法、附錄K溫控裝置、附錄U無需使用隔層絕緣的繞組絕緣、附錄AA轉軸測試、附錄CC集成電路限流器的評估、附錄Zx聲壓。) | Visual Display Units for computer<br>(Except for 1.5.6 Capacitor, 1.5.7 Resistor, 2.10.3.2 transient voltages, 2.10.5.4 Discharge of semiconductor,2.10.8Test on coated printed boards and coated components, 3.2.5.1 AC power supply cord, 4.2.8 Cathode ray tubes,4.2.9 High pressure lamps, 4.3.12 Flammable liquids, 4.3.13.2-5 Radiation, annex A.3 Hot flaming oil test, annex G Alternative method for determining minimum clearance, annex K Thermal controls, annex U Insulated winding wires for use without interleaved insulation, annex AA Mandrel test, annex CC Evaluation of integrated circuit (IC) current limiters, annex Zx Sound pressure test.) |
| ➢ **手提工具(設計供家庭用)** | ➢ **Portable Tools ( which are designed for household use )** |
| 電鑽<br>(不測：三相工具、14.6剩余電流動作保護器、組件（開關、溫控器等組件隨機測試）、大於5.6 ㎜直徑以上的螺釘扭矩及輻射，毒性和類似危險。) | Drills<br>(Except for: Three phase tools; 14.6 Residual current devices; Components (Switch, temperature controller, etc, which are tested with appliance); Screw torque which screw's diameter is larger than 5.6mm and Radiation, toxicity and similar hazards; Annex I Measurement of noise and vibration emissions) |
| 螺絲刀<br>(不測：三相工具、14.6剩余電流動作保護器、組件（開關、溫控器等組件隨機測試）、大於5.6 ㎜直徑以上的螺釘扭矩及輻射，毒性和類似危險。) | Screwdrivers<br>(Except for: Three phase tools; 14.6 Residual current devices; Components (Switch, temperature controller, etc, which are tested with appliance); Screw torque which screw's diameter is larger than 5.6mm and Radiation, toxicity and similar hazards; Annex I Measurement of noise and vibration emissions) |
| 砂光機<br>(不測：三相工具、14.6剩余電流動作保護器、組件（開關、溫控器等組件隨機測試）、大於5.6 ㎜直徑以上的螺釘扭矩及輻射，毒性和類似危險。) | Sanders<br>(Except for: Three phase tools; 14.6 Residual current devices; Components (Switch, temperature controller, etc, which are tested with appliance); Screw torque which screw's diameter is larger than 5.6mm and Radiation, toxicity and similar hazards; Annex I Measurement of noise and vibration emissions) |
| ➢ **電子、娛樂器具** | ➢ **Electronics, Entertainment** |
| 擴音器<br>(不測：7.2絕緣材料的耐熱、8.17無襯墊絕緣繞組、8.18絕緣線圈耐久測試、8.22薄層絕緣材料、12.1.2撞擊測試、附錄J的替代方法、14.1電阻器、14.2電容器、14.6開關、14.11耦合器、附錄H（規範性附錄）無需隔層絕緣的絕緣繞組線。) | Amplifiers<br>(Except for 7.2 Heat resistance of insulating material, 8.17 Requirements for insulated winding wires for use without additional interleaved insulation, 8.18 Endurance test for wound components with insulated winding wires without additional interleaved insulation, 8.22 Non-separable thin sheet material, 12.1.2 Bump test, annex J Coated printed circuit boards Alternative method for determining minimum clearances, 14.1 Resistor, 14.2 Capacitor, 14.6 Switch, 14.11 Opt couplers, annex H Insulated winding wires for use without interleaved insulation.) |
| 音響器材<br>(不測：7.2絕緣材料的耐熱、8.17無襯墊絕緣繞組、8.18絕緣線圈耐久測試、8.22薄層絕緣材料、12.1.2撞擊測試、附錄J的替代方法、14.1電阻器、14.2電容器、14.6開關、14.11耦合器、附錄H（規範性附錄）無需隔層絕緣的絕緣繞組線。) | Audio equipment<br>(Except for 7.2 Heat resistance of insulating material, 8.17 Requirements for insulated winding wires for use without additional interleaved insulation, 8.18 Endurance test for wound components with insulated winding wires without additional interleaved insulation, 8.22 Non-separable thin sheet material, 12.1.2 Bump test, annex J Coated printed circuit boards Alternative method for determining minimum clearances, 14.1 Resistor, 14.2 Capacitor, 14.6 Switch, 14.11 Optocouplers, annex H Insulated winding wires for use without interleaved insulation.) |
| 卡拉OK器材<br>(不測：7.2絕緣材料的耐熱、8.17無襯墊絕緣繞組、8.18絕緣線圈耐久測試、8.22薄層絕緣材料、12.1.2撞擊測試、附錄J的替代方法、14.1電阻器、14.2電容器、14.6開關、14.11耦合器、附錄H（規範性附錄）無需隔層絕緣的絕緣繞組線。) | Karaoke equipment<br>(Except for 7.2 Heat resistance of insulating material, 8.17 Requirements for insulated winding wires for use without additional interleaved insulation, 8.18 Endurance test for wound components with insulated winding wires without additional interleaved insulation, 8.22 Non-separable thin sheet material, 12.1.2 Bump test, annex J Coated printed circuit boards Alternative method for determining minimum clearances, 14.1 Resistor, 14.2 Capacitor, 14.6 Switch, 14.11 Optocouplers, annex H Insulated winding wires for use without interleaved insulation.) |

| 電氣產品類別 | Classes of Electrical Products |
| --- | --- |
| 電視<br>(不測：7.2絕緣材料的耐熱、8.17無襯墊絕緣繞組、8.18絕緣線圈耐久測試、8.22薄層絕緣材料、12.1.2撞擊測試、附錄J的替代方法、14.1電阻器、14.2電容器、14.6開關、14.11耦合器、附錄H（規範性附錄）無需隔層絕緣的絕緣繞組線。) | Television<br>(Except for 7.2 Heat resistance of insulating material, 8.17 Requirements for insulated winding wires for use without additional interleaved insulation, 8.18 Endurance test for wound components with insulated winding wires without additional interleaved insulation, 8.22 Non-separable thin sheet material, 12.1.2 Bump test, annex J Coated printed circuit boards Alternative method for determining minimum clearances, 14.1 Resistor, 14.2 Capacitor, 14.6 Switch, 14.11 Optocouplers, annex H Insulated winding wires for use without interleaved insulation.) |
| 影視器材<br>(不測：7.2絕緣材料的耐熱、8.17無襯墊絕緣繞組、8.18絕緣線圈耐久測試、8.22薄層絕緣材料、12.1.2撞擊測試、附錄J的替代方法、14.1電阻器、14.2電容器、14.6開關、14.11耦合器、附錄H（規範性附錄）無需隔層絕緣的絕緣繞組線。) | Video equipment<br>(Except for 7.2 Heat resistance of insulating material, 8.17 Requirements for insulated winding wires for use without additional interleaved insulation, 8.18 Endurance test for wound components with insulated winding wires without additional interleaved insulation, 8.22 Non-separable thin sheet material, 12.1.2 Bump test, annex J Coated printed circuit boards Alternative method for determining minimum clearances, 14.1 Resistor, 14.2 Capacitor, 14.6 Switch, 14.11 Optocouplers, annex H Insulated winding wires for use without interleaved insulation.) |