EMSD Registers - Recognized Certification Body for Electrical Products

機電工程署登記名冊 —— 電氣產品認可核證團體名單

Organization 機構名稱	:	**TUV SUD Certification & Testing (China) Co., Ltd. Guangzhou Branch** **南德認證檢測(中國)有限公司廣州分公司**	ARCB No. : ARCB0134 認可核證團體編號
Address 地址	:	5/F. & East of 8/F., Communication Building, No. 163, Pingyun Road, West of Huangpu Avenue, Guangzhou, Guangdong, China 廣東省廣州市天河區黃埔大道西平雲路 163 號通訊車間大樓 5 樓全層及 8 樓東部	Last Update: 29/4/2019 更新日期
Telephone 電話	:	86-20-38320668	
Fax 傳真	:	86-20-38320478	
E-mail 電郵	:		

Approved Classes of Electrical Products to be Certified
認可核證電氣產品類別

As detailed in the Laboratory Accreditation Certificate No. CNAS L3584 dated 14.08.2017 and the attached appendices for the scope of accreditation issued by the China National Accreditation Service for Conformity Assessment (CNAS) dated 11.04.2018.
2017 年 08 月 14 日由中國合格評定國家認可委員會（ CNAS ）發出實驗室認可證書(編號： CNAS L3584 ）及於 2018 年 04 月 11 日發出有關認可檢測能力範圍的附件。

As detailed in Certificate of Acceptance to Participate in The IECEE CB-SCHEME No. TL240 dated 01.03.2017 and the attached appendices for the scope of IECEE CBTL.
2017 年 03 月 01 日由國際電工委員會電工產品安全認證組織發出接納為 CB 體系下國家核證團體實驗室證明書（編號： TL240 ）及發出有關認可檢測能力範圍的附件。

電氣產品類別	Classes of Electrical Products
➢ **家庭設備及類似設備**	➢ **Household and Similar Equipment**
通用要求 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	General requirements (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
吸塵機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板; 條款 21.101, 21.102, 21.103, 21.104, 21.105)	Vacuum cleaners (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards; clause 21.101, 21.102, 21.103, 21.104, 21.105)
吸水清潔器具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板; 條款 21.101, 21.102, 21.103, 21.104, 21.105)	Water suction cleaning (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards; clause 21.101, 21.102, 21.103, 21.104, 21.105)
乾式電熨斗 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric dry irons (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
蒸氣電熨斗 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric steam irons (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
旋轉式抽離機 (不測: 22.32氧彈測試及陶瓷緊密性測試；防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板)	Spin extractors (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
洗碗碟機 (不測: 22.32氧彈測試及陶瓷緊密性測試；防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板)	Dishwashers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
煮食爐具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Cooking ranges (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)

電氣產品類別	Classes of Electrical Products
洗衣機 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Washing machines (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電鬚刨 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Electric shavers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
髮剪 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Hair clippers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
烤具 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Grills (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電磁爐 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Induction hotplates (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
烤爐 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Roasters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
烤麵包機 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Toasters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
地板洗刷 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Wet scrubbing machines (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
地板處理機 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Floor treatment machines (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
滾筒式乾衣機 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Tumble dryers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
加熱板 （不測：22.32 氧彈測試及陶瓷緊密性測試；22.48 IEC61770 防虹吸測試；附錄F 電容器；附錄J 帶塗層的印刷電路板）	Warming plates (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)

電氣產品類別	Classes of Electrical Products
油炸鍋 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Deep fat fryers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電煎鍋 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Frying pans (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
廚房用電動機器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric kitchen machines (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
液體加熱器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Appliances for heating liquids (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
食物渣滓處理機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Food waste disposers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電熱氈 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electrically heated blankets (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電熱墊 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electrically heated pads (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
儲水式電熱水器(無排氣管式除外) (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Storage water heaters (other than unvented type) (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
皮膚或頭髮護理器具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Appliances for skin and hair care (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電風筒 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric hair dryers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
食物冷藏櫃 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Food freezers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)

電氣產品類別	Classes of Electrical Products
製冰機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Ice-makers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
雪櫃 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Refrigerators (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
微波爐 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Microwave ovens (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
紫外線及紅外線照射皮膚護理器具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Ultraviolet and infrared radiation skin treatment appliances (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電池充電器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Battery chargers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
房間電暖爐 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Room heaters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
抽油煙機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Range hoods (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
按摩器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Massage appliances (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電動壓縮機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Motor compressors (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
即熱式電熱水器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Instantaneous water heaters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
冷氣機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Air-conditioners (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)

電氣產品類別	Classes of Electrical Products
抽濕機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Dehumidifiers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電動液體泵 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric pumps for liquids (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
毛巾架 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Towel rails (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
乾衣機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Clothes dryers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
手提加熱工具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Portable heating tools (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
口腔衛生器具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Oral hygiene appliances (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
清潔器具 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Cleaning appliances (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
供水族箱及花園池塘用的電力器具(如氣泵、水族箱熱水器) (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electrical appliances for use with aquariums and garden ponds (e.g. aerators, aquarium heaters) (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
殺蟲器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Insect killers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
渦流式沐浴裝置 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Whirlpool baths (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
空氣淨化機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板；附錄AA)	Air-cleaning appliances (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards; Annex AA)

電氣產品類別	Classes of Electrical Products
固定浸入式加熱器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Fixed immersion heaters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
手提浸入式加熱器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Portable immersion heaters (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
戶外燒烤爐 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Outdoor barbecues (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
電風扇 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric fans (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
暖腳器及暖墊 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板， 條款21.102.1， 21.102.1， 30.101)	Foot warmers and heating mats (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards;clause21.102.1， 21.102.1， 30.10
電氣化廁所 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Electric toilets (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
蒸氣熨衣器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Fabric steamers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
加濕器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Humidifiers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
驅蟲器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Insect repellers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
汽化器 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Vaporizers (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)
空氣清新機 (不測: 22.32 氧彈測試及陶瓷緊密性測試; 22.48 IEC61770 防虹吸測試; 附錄F 電容器; 附錄J 帶塗層的印刷電路板)	Air fresheners (Excluding 22.32 Oxygen bomb test and ceramic material is tightly sintered test; 22.48 & IEC61770 prevent backsiphonage of non-potable water into the water mains test; annex F capacitors; annex J Coated printed circuit boards)

電氣產品類別	Classes of Electrical Products
電源變壓器及供電裝置 (不測 : 16震動測試； 17 IP5X/IP6X測試； 19氧彈/絕緣線芯軸測試； 20開關和歐規2腳插頭以外零部件)	Power transformers and power supply units (Excluding 16 Vibrating test; 17 IP5X/IP6X test; 19 Oxygen bomb/mandrel testing for insulated wire test; 20 components exclude switch and European two pole plug
➢ **電子、娛樂器具**	➢ **Electronics, Entertainment**
擴音器 (不測6.1電離測試；7.2熱塑性材料的軟化溫度測試；12.1.3 振動測試；14.2，14.3 電容和阻容單元；14.6 保護裝置（熱熔斷器，保險絲）；16.1 電源軟線)	Amplifiers (Excluding 6.1 Ionizing Radiation; 7.2 heat resistance of insulating material; 12.1.3 Vibration Test; 14.2, 14.3 capacitors and RC-units test; 14.6 protective Device (thermal cut-outs, fuse; 16.1 power supply cord)
音響器材置 (不測6.1電離測試；7.2熱塑性材料的軟化溫度測試；12.1.3 振動測試；14.2，14.3 電容和阻容單元；14.6 保護裝置（熱熔斷器，保險絲）；16.1 電源軟線)	Audio equipment (Excluding 6.1 Ionizing radiation; 7.2 heat resistance of insulating material; 12.1.3 Vibration Test; 14.2, 14.3 capacitors and RC-units test; 14.6 protective Device (thermal cut-outs, fuse; 16.1 power supply cord)
卡拉OK器材 (不測6.1電離測試；7.2熱塑性材料的軟化溫度測試；12.1.3 振動測試；14.2，14.3 電容和阻容單元；14.6 保護裝置（熱熔斷器，保險絲）；16.1 電源軟線)	Karaoke equipment (Excluding 6.1 Ionizing radiation; 7.2 heat resistance of insulating material; 12.1.3 Vibration Test; 14.2, 14.3 capacitors and RC-units test; 14.6 protective Device (thermal cut-outs, fuse; 16.1 power supply cord)
電視 (不測6.1電離測試；7.2熱塑性材料的軟化溫度測試；12.1.3 振動測試；14.2，14.3 電容和阻容單元；14.6 保護裝置（熱熔斷器，保險絲）；16.1 電源軟線)	Television (Excluding 6.1 Ionizing radiation; 7.2 heat resistance of insulating material; 12.1.3 Vibration Test; 14.2, 14.3 capacitors and RC-units test; 14.6 protective Device (thermal cut-outs, fuse; 16.1 power supply cord)
影視器材 (不測6.1電離測試；7.2熱塑性材料的軟化溫度測試；12.1.3 振動測試；14.2，14.3 電容和阻容單元；14.6 保護裝置（熱熔斷器，保險絲）；16.1 電源軟線)	Video equipment (Excluding 6.1 Ionizing radiation; 7.2 heat resistance of insulating material; 12.1.3 Vibration Test; 14.2, 14.3 capacitors and RC-units test; 14.6 protective Device (thermal cut-outs, fuse; 16.1 power supply cord)
➢ **資訊科技設備**	➢ **Information technology equipment**
影印機 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Copying machine (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
數據處理設備 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Data processing equipment (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
傳真機 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Facsimile machine (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)

電氣產品類別	Classes of Electrical Products
調解器 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Modem (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
電話錄音機 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Telephone answering machines (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
打字機 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Typewriter (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
電腦顯示器 (不測:條款1.5 電容控溫裝置,浪湧抑制器;條款2.10 絕緣繞線組, 劃痕試驗;條款4.2.8 陰極射線管機械強度;條款4.3.12 可燃液體; 條款4.3.13.2 電離輻射的測試; 條款4.3.13.3-4.3.13.4 UV輻射測試;附錄H 電離輻射;附錄K 控溫裝置;附錄M 電話振鈴信號准側;附錄N 脈衝試驗發生器;附錄S 脈衝試驗程序;附錄U 使用無需襯墊絕緣的絕緣繞組導線)	Visual display units for computer (Excluding Cl. 1.5 capacitor, thermal controls, surge suppressors; Cl. 2.10 wire in wound component, abrasion resistance test Cl. 4.2.8: Cathode ray tubes; Cl. 4.3.12: flammable liquids; Cl. 4.3.13.2: ionizing radiation; Cl. 4.3.13.3-4.3.13.4: UV radiation; Annex H Ionizing radiation; Annex K Thermal controls; Annex M Criteria for telephone ringing signals; Annex N Impulse test generators; Annex S Procedure for impulse testing; Annex U Insulated winding wires for use without interleaved insulation)
➢ **插頭**	➢ **Plugs**
三腳13安培插頭	3-pin 13A plug